

Print date: 9/20/2017
Version: 2

310 COLOR ADDITIVE
Revision date: 9/20/2017
Issue date: 9/20/2017

USA
Page 1 / 6

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifiers

#310 color

Identification of the substance or mixture

310 COLOR ADDITIVE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Stencil production for screen and textile printing. Reserved for industrial and professional use.

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/downstream user/distributor)

Lawson Screen & Digital Products

5110 Penrose St.

St. Louis, MO 63115

For Product and Use Information: 314-382-9300 Contact: David Landesman

1.4. Emergency telephone number

Emergency telephone: CHEMTREC 800-424-9300

2. Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP].

Skin Irrit. 2 / H315

skin corrosion/irritation

Causes skin irritation.

Eye Dam. 1 / H318

Serious eye damage/eye irritation

Causes serious eye damage.

Aquatic Chronic 2 / H411

Hazardous to the aquatic environment

Toxic to aquatic life with long lasting effects.

2.2. Label elements

The product is classified and labelled according to EC directives or corresponding national laws.

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms



Danger

Hazard statements

H315

Causes skin irritation.

H318

Causes serious eye damage.

H411

Toxic to aquatic life with long lasting effects.

Precautionary statements

P280

Wear protective gloves and eye/face protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310

Immediately call a POISON CENTER or doctor/ physician.

contains:

Amines, tallow alkyl, ethoxylated

Supplemental Hazard information (EU)

n.a.

2.3. Other hazards

3. Composition / Information on ingredients

3.2. Mixtures

Product description / chemical characterization

Description

Mixture of components, as listed below, with nonhazardous constituents

Hazardous ingredients

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Print date: 9/20/2017
Version: 2

310 COLOR ADDITIVE
Revision date: 9/20/2017
Issue date: 9/20/2017

USA
Page 2/ 6

| EC No. | REACH No. | Wt. % |
|------------------|--|---------------|
| CAS No. | Chemical name | Remark |
| INDEX No. | classification: | |
| 500-153-8 | Amines, tallow alkyl, ethoxylated | 3 - 5 |
| 61791-26-2 | Acute Tox. 4 H302 / Skin Corr. 1C H314 / Eye Dam. 1 H318 / Aquatic Acute 1 H400 / Aquatic Chronic 1 H410 | |

Additional information

Full text of classification: see section 16

4. First-aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

After contact with skin, wash immediately with plenty of water and soap. Remove contaminated, saturated clothing immediately.

After eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

After ingestion

Seek medical advice immediately. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

5. Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Foam Water mist Carbon dioxide

Extinguishing media which must not be used for safety reasons:

strong water jet

5.2. Special hazards arising from the substance or mixture

Gases/vapors, toxic

5.3. Special protective equipment for firefighters:

Provide a conveniently located respiratory protective device.

Additional information

The danger areas must be delimited and identified using relevant warning and safety signs. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways. Treat runoff as hazardous.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep away from sources of ignition. Ventilate affected area. Remove persons to safety. Do not breathe vapors. See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations. Provide good ventilation.

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculite, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see chapter 13).

6.4. Reference to other sections

Observe protective provisions (see chapter 7 and 8).

Print date: 9/20/2017
Version: 2

310 COLOR ADDITIVE
Revision date: 9/20/2017
Issue date: 9/20/2017

USA
Page 3 / 6

7. Handling and storage

7.1. Precautions for safe handling

Advices on safe handling

Heed the usual precautionary measures of handling chemicals.
Avoid: aerosol or mist formation
VCI-storage class, see Chapter 15

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Always keep in containers that correspond to the material of the original container. Ensure adequate ventilation of the storage area.

Additional information

VCI-storage class, see Chapter 15

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

8. Exposure controls / Personal protection

8.1. Control parameters

Occupational exposures limit values:

n. a.

8.2. Exposure controls

Provide good ventilation.

Personal protection equipment

Respiratory protection

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Observe the wear time limits according OSHA in combination with the rules for using respiratory protection apparatus (BGR 190).

Hand protection

Chemical resistant protective gloves: DIN EN 374
Recommendation for contact by spatter: Protection Index 2
Permeation time >30 min., e.g. butyl rubber 0,4 mm
Recommendation for direct contact: Protection Index 6
Permeation time >480 min., e.g. nitrile rubber 0,4 mm

Eye protection

Wear closed protection glasses. DIN EN 166

Protective clothing

Protective measures

Avoid contact with skin, eyes and clothes. After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:

| | |
|----------------|----------------|
| Physical state | liquid |
| Color | refer to label |
| Odor | characteristic |

Safety relevant basis data

| | | | |
|----------------------------|--------|--------|--------|
| Flash point: | n.a. | Method | Remark |
| Ignition temperature (AIT) | 371 °C | | |

Print date: 9/20/2017
Version: 2

310 COLOR ADDITIVE
Revision date: 9/20/2017
Issue date: 9/20/2017

USA
Page 4/ 6

| | |
|---|------------------------|
| Lower explosion limit | n.a. |
| Upper explosion limit | 12.5 Vol-% |
| Vapor pressure at 20 °C: | 11.50 mbar |
| Density at 20 °C: | 1.07 g/cm ³ |
| Water solubility (g/L) | easily soluble |
| pH at 20 °C: | - |
| Viscosity at °C: | n.a. |
| Initial boiling point and boiling range | 100 °C (101,3 kPa) |
| Decomposition temperature (°C): | 0 |

9.2. Other information:

10. Stability and reactivity

10.1. Reactivity

10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to chapter 7.

10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4. Conditions to avoid

10.5. Incompatible materials

10.6. Hazardous decomposition products

11. Toxicological information

Classification for mixtures and used evaluation method according to regulation (EC) 1207/2008 [CLP]
No data on preparation itself available.

11.1. Information on toxicological effects

Acute toxicity

Toxicological data are not available.

skin corrosion/irritation; Serious eye damage/eye irritation

Toxicological data are not available.

Respiratory or skin sensitization

Toxicological data are not available.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Toxicological data are not available.

Specific target organ toxicity

Toxicological data are not available.

Aspiration hazard

Toxicological data are not available.

Practical experience/human evidence

Other observations:

Prolonged or repeated contact with the preparation can lead to irritations of mucous membranes and of skin such as redness, formation of blebs, dermatitis, etc..

Overall Assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

Remark

There is no information available on the preparation itself .

12. Ecological information

overall evaluation

Classification for mixtures and used evaluation method according to regulation (EC) 1207/2008 [CLP]

Do not store at public landfills.

Technically correct releases of minimal concentrations to adapted biological sewage plants, will not disturb the

Print date: 9/20/2017
Version: 2

310 COLOR ADDITIVE
Revision date: 9/20/2017
Issue date: 9/20/2017

USA
Page 5 / 6

biodegradability of activated sludge.

12.1. Toxicity

No information available.

Long-term Ecotoxicity

Toxicological data are not available.

12.2. Persistence and degradability

Toxicological data are not available.

12.3. Bioaccumulative potential

Toxicological data are not available.

Bioconcentration factor (BCF)

Toxicological data are not available.

12.4. Mobility in soil

Toxicological data are not available.

12.5. Results of PBT assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

13. Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product Recommendation

List of proposed waste codes/waste designations in accordance with EWC

080112 waste paint and varnish other than those mentioned in 080111

packaging

Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

14. Transport information

No dangerous good in sense of this transport regulation.

14.1. UN number

14.2. UN proper shipping name

n. a.

14.3. Transport hazard class(es)

14.4. Packing group

n. a.

14.5. Environmental hazards

Land transport (ADR/RID)

n. a.

n.a.

Marine pollutant

n.a.

14.6. Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

Additional information

Land transport (ADR/RID)

tunnel restriction code

-

Sea transport (IMDG)

EmS-No.

n.a.

Packaging >30 l

Print date: 9/20/2017
Version: 2

310 COLOR ADDITIVE
Revision date: 9/20/2017
Issue date: 9/20/2017

USA
Page 6 / 6

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

VOC

| | |
|---------------------------------|---------|
| VOC-value (in g/L): ISO 11890-2 | 151.000 |
| VOC-value (in g/L): ASTM D 2369 | 157.820 |

Observe in addition any national regulations!

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.
Observe restrictions to employment for juveniles' according to the 'juvenile work protection guideline' (94/33/EC).

Substance/product listed in the following inventories:

Listed in TOXIC SUBSTANCES CONTROL ACT (TSCA)

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this preparation were not carried out.

16. Other information

Full text of classification in section 3:

| | | |
|--------------------------|--------------------------------------|---|
| Acute Tox. 4 / H302 | Acute toxicity (oral) | Harmful if swallowed. |
| Skin Corr. 1C / H314 | skin corrosion/irritation | Causes severe skin burns and eye damage. |
| Eye Dam. 1 / H318 | Serious eye damage/eye irritation | Causes serious eye damage. |
| Aquatic Acute 1 / H400 | Hazardous to the aquatic environment | Very toxic to aquatic life. |
| Aquatic Chronic 1 / H410 | Hazardous to the aquatic environment | Very toxic to aquatic life with long lasting Effects. |

Additional information

Classification for mixtures and used evaluation method according to regulation (EC) 1207/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in chapter 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.